

Message-ID: <302875622.3.1449849216457.JavaMail.confluence@confluence>
Subject: Exported From Confluence
MIME-Version: 1.0
Content-Type: multipart/related;
boundary="-----=_Part_2_1682789042.1449849216456"

-----=_Part_2_1682789042.1449849216456
Content-Type: text/html; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
Content-Location: file:///C:/exported.html

```
<html xmlns:o=3D'urn:schemas-microsoft-com:office:office'  
      xmlns:w=3D'urn:schemas-microsoft-com:office:word'  
      xmlns:v=3D'urn:schemas-microsoft-com:vm1'  
      xmlns=3D'urn:w3-org-ns:HTML'>  
<head>  
  <meta http-equiv=3D"Content-Type" content=3D"text/html; charset=3Dutf-8=  
">  
  <title>Tremor Weekly Report</title>  
  <!--[if gte mso 9]>  
  <xml>  
    <o:OfficeDocumentSettings>  
      <o:TargetScreenSize>1024x640</o:TargetScreenSize>  
      <o:PixelsPerInch>72</o:PixelsPerInch>  
      <o:AllowPNG/>  
    </o:OfficeDocumentSettings>  
    <w:WordDocument>  
      <w:View>Print</w:View>  
      <w:Zoom>90</w:Zoom>  
      <w:DoNotOptimizeForBrowser/>  
    </w:WordDocument>  
  </xml>  
  <![endif]-->  
  <style>  
    <!--  
    @page Section1 {  
      size: 8.5in 11.0in;  
      margin: 1.0in;  
      mso-header-margin: .5in;  
      mso-footer-margin: .5in;  
      mso-paper-source: 0;  
    }  
  
    td {  
      page-break-inside: avoid;  
    }  
  
    tr {  
      page-break-after: avoid;  
    }  
  
    div.Section1 {  
      page: Section1;  
    }  
  
    /* Confluence print stylesheet. Common to all themes for print medi=  
a */  
/* Full of !important until we improve batching for print CSS */
```

```

@media print {
  #main {
    padding-bottom: 1em !important; /* The default padding of 6em is too
    much for printouts */
  }

  body {
    font-family: Arial, Helvetica, FreeSans, sans-serif;
    font-size: 10pt;
    line-height: 1.2;
  }

  body, #full-height-container, #main, #page, #content, .has-personal-sidebar
  #content {
    background: #fff !important;
    color: #000 !important;
    border: 0 !important;
    width: 100% !important;
    height: auto !important;
    min-height: auto !important;
    margin: 0 !important;
    padding: 0 !important;
    display: block !important;
  }

  a, a:link, a:visited, a:focus, a:hover, a:active {
    color: #000;
  }

  #content h1,
  #content h2,
  #content h3,
  #content h4,
  #content h5,
  #content h6 {
    font-family: Arial, Helvetica, FreeSans, sans-serif;
    page-break-after: avoid;
  }

  pre {
    font-family: Monaco, "Courier New", monospace;
  }

  #header,
  .aui-header-inner,
  #navigation,
  #sidebar,
  .sidebar,
  #personal-info-sidebar,
  .ia-fixed-sidebar,
  .page-actions,
  .navmenu,
  .ajs-menu-bar,
  .noprnt,
  .inline-control-link,
  .inline-control-link a,
  a.show-labels-editor,
  .global-comment-actions,
  .comment-actions,

```

```

.quick-comment-container,
#addcomment {
    display: none !important;
}

.comment .date::before {
    content: none !important; /* remove middot for print view */
}

h1.pagetitle img {
    height: auto;
    width: auto;
}

.print-only {
    display: block;
}

#footer {
    position: relative !important; /* CONF-17506 Place the footer at en=
d of the content */
    margin: 0;
    padding: 0;
    background: none;
    clear: both;
}

#poweredby {
    border-top: none;
    background: none;
}

#poweredby li.print-only {
    display: list-item;
    font-style: italic;
}

#poweredby li.noprint {
    display: none;
}

/* no width controls in print */
.wiki-content .table-wrap,
.wiki-content p,
.panel .codeContent,
.panel .codeContent pre,
.image-wrap {
    overflow: visible !important;
}

/* TODO - should this work? */
#children-section,
#comments-section .comment,
#comments-section .comment .comment-body,
#comments-section .comment .comment-content,
#comments-section .comment p {
    page-break-inside: avoid;
}

```

```

#page-children a {
    text-decoration: none;
}

/**
    hide twixies

    the specificity here is a hack because print styles
    are getting loaded before the base styles. */
#comments-section.pageSection .section-header,
#comments-section.pageSection .section-title,
#children-section.pageSection .section-header,
#children-section.pageSection .section-title,
.children-show-hide {
    padding-left: 0;
    margin-left: 0;
}

.children-show-hide.icon {
    display: none;
}

/* personal sidebar */
.has-personal-sidebar #content {
    margin-right: 0px;
}

.has-personal-sidebar #content .pageSection {
    margin-right: 0px;
}
}
-->
</style>
</head>
<body>
    <h1>Tremor Weekly Report</h1>
    <div class=3D"Section1">
        <p>&nbsp;</p>&nbsp;</div>
    <div class=3D"table-wrap">
    <table class=3D"confluenceTable">
    <tbody>
    <tr>
    <th class=3D"confluenceTh">EDG/SED/IVV</th>
    </tr>
    <tr>
    <td class=3D"confluenceTd">This is a test report discussion weekly activiti=
es for the IVV testing team</td>
    </tr>
    <tr>
    <td class=3D"confluenceTd">&nbsp;</td>
    </tr>
    <tr>
    <td colspan=3D"1" class=3D"confluenceTd">&nbsp;</td>
    </tr>
    <tr>
    <td colspan=3D"1" class=3D"confluenceTd">&nbsp;</td>
    </tr>
    </tbody>
    </table>

```

```
</div>
<div class=3D"table-wrap">
<table class=3D"confluenceTable">
<tbody>
<tr>
<th class=3D"confluenceTh">EDG/SED/IB</th>
</tr>
<tr>
<td class=3D"confluenceTd">This is a test report discussion weekly activiti=
es for the IB testing team</td>
</tr>
<tr>
<td class=3D"confluenceTd">&nbsp;</td>
</tr>
<tr>
<td class=3D"confluenceTd">&nbsp;</td>
</tr>
<tr>
<td colspan=3D"1" class=3D"confluenceTd">&nbsp;</td>
</tr>
</tbody>
</table>
</div>
  </div>
</body>
</html>
-----_Part_2_1682789042.1449849216456--
```